Agricultural Marketing Service, USDA

TABLE IX—CUSUM SAMPLING PLANS—Continued

[Standard sample unit size=100]

					Quality levels	
AQL	S	Т	L	Pa= 50%	Pa= 10%	
25.0	4	27	10	29.6	35.3	
33.0	3	36	10	38.8	45.4	
40.0	4	43	12	46.1	53.1	
50.0	5	53	14	56.4	64.1	
Quality levels	expresse	ed as per	rcent def	ective onl	у	
12.5	2	14	6	15.8	19.7	
					10.7	
15.0	2	17	6	18.9	23.0	
15.0 20.0	2	17 22	6 7	18.9 24.0		
					23.0	
20.0	2	22	7	24.0	23.0 28.5	
20.0 25.0	2	22 27	7 8	24.0 29.2	23.0 28.5 33.8	

TABLE X—CUSUM SAMPLING PLANS [Standard sample unit size=200]

S

AQL

Quality levels

				30%	10%		
Quality levels expressed as defects per 100 units or percent defective							
0.04	0.3	0.1	0.9	0.3	1.2		
0.065	0.2	0.2	0.8	0.4	1.2		
0.1	0	0.5	0.5	0.5	1.3		
0.15	0.4	0.8	0.8	0.6	1.3		
0.25	0.4	0.8	1.6	0.6	1.3		
0.4	1	1	2	1.0	2.0		
0.65	1	1.8	2.6	1.2	2.1		
1.0	1	2.5	3	1.7	2.8		
1.5	1	4	3	2.6	4.1		
2.5	1	6	4	3.7	5.3		
4.0	1	10	4	5.8	7.8		
5.0	2	12	5	6.9	9.0		
6.5	2	15	6	8.5	10.8		
8.5	3	19	8	10.6	13.1		
10.0	3	22	9	12.2	14.8		
Quality levels ex	Quality levels expressed as defects per 100 units only						
12.5	4	27	10	14.8	17.7		
15.0	3	33	9	17.8	21.0		
20.0	4	43	12	23.1	26.6		
25.0	5	53	14	28.2	32.1		
33.0	5	70	15	36.9	41.3		

TABLE X—CUSUM SAMPLING PLANS—Continued

[Standard sample unit size=200]

				Quality levels		
AQL	S	Т	L	Pa= 50%	Pa= 10%	
40.0	6	84	18	44.1	48.8	
50.0	6	105	18	54.8	60.1	
Quality levels expressed as percent defective only						
		· ·				
12.5	3	27	9	14.7	17.3	
		· ·				
12.5	3 4	27 32	9 10	14.7 17.3	17.3 20.0	
12.5 15.0 20.0	3 4 3	27 32 43	9 10 9	14.7 17.3 22.8	17.3 20.0 25.9	
12.5 15.0 20.0 25.0	3 4 3 4	27 32 43 53	9 10 9 11	14.7 17.3 22.8 27.9	17.3 20.0 25.9 31.1	

 $[43\ FR\ 10540,\ Mar.\ 14,\ 1978.\ Redesignated\ at\ 46\ FR\ 63203,\ Dec.\ 31,\ 1981]$

§52.38c Statistical sampling procedures for lot inspection of processed fruits and vegetables by attributes.

- (a) *General.* Single sampling plans shall be used as the lot sampling plan for attributes standards under either of the following conditions:
- (1) Sampling of the product shall be made during the production period. No grade will be assigned to individual sample units. One grade determination only will be made at the end of the production period for the inspection lot.
- (2) Sampling of the product shall be made when the inspection lot is located in a warehouse, truck, railroad car, or other similar conveyance.
- (b) Sample size. Samples shall be randomly selected from each inspection lot in the exact number of sample units indicated for the lot size in tables XI through XIV as applicable for canned, frozen, dried, or dehydrated fruits and vegetables.

TABLE XI—CANNED OR SIMILARLY PROCESSED FRUITS, VEGETABLES, AND PRODUCTS CONTAINING UNITS OF SUCH SIZE AND CHARACTER AS TO BE READILY SEPARABLE

[Lot sample size]

Container size group	Lot size (number of containers)			
Group 1: Any type container of a volume not exceeding that of a No. 303 size can.	12,000 or less	12,001–39,000	39,001–84,000	84,001–145,000
Group 2: Any type of container of a vol- ume exceeding that of a No. 303 size can but not exceeding that of a No. 3 cylinder size can.	6,000 or less	6,001–19,500	19,501–42,000	42,001–72,500

§52.38c

21/2 lbs.

TABLE XI—CANNED OR SIMILARLY PROCESSED FRUITS, VEGETABLES, AND PRODUCTS CONTAINING UNITS OF SUCH SIZE AND CHARACTER AS TO BE READILY SEPARABLE—Continued [Lot sample size]

Container size group	Lot size (number of containers)			
Group 3: Any type of container of a vol- ume exceeding that of a No. 3 cylinder size can, but not exceeding that of a No. 12 size can.	3,000 or less	3,001–9,750	9,751–21,000	21,001–36,250
Group 4: Any type of container of a volume exceeding that of a No. 12 Convert to equivalent number of 6-lb. net v size can.	veight containers and us	e group 3		
Lot inspection: Sample size (number of sample units)	6	13	21	29

TABLE XII—FROZEN OR SIMILARLY PROCESSED FRUITS, VEGETABLES, AND PRODUCTS CONTAINING UNITS OF SUCH SIZE AND CHARACTER AS TO BE READILY SEPARABLE [Lot sample size]

Container size group	Lot size (number of containers)			
Group 1: Any type of container of 1 lb or less net weight.	9,600 or less	9,601–31,200	31,201–67,200	67,201–116,000
Group 2: Any type of container over 1 lb but not over 2½ lb net weight.	4,800 or less	4,801–15,600	15,601–33,600	33,601–58,000

Lot inspection: Sample size (number of	6	13	21	29
sample units).				

TABLE XIII—CANNED, FROZEN, OR OTHERWISE PROCESSED FRUITS, VEGETABLES, RELATED PRODUCTS OF A COMMINUTED, FLUID OR HOMOGENEOUS STATE [Lot sample size]

Container size group	Lot size (number of containers)			
Group 1: Any type of container of 1 lb or less.	18,000 or less	18,001–58,500	58,501-126,000	126,001–217,000
Group 2: Any type of container exceeding 1 lb. but not exceeding 60 oz.	12,000 or less	12,001–39,000	39,001–84,000	84,001–145,000
Group 3: Any type of container exceeding 60 oz but not exceeding 10 lb.	6,000 or less	6,001–19,500	19,501–42,000	42,001–72,500
Group 4: Any type of container Convert to equivalent number of 6-lb. conta exceeding 10 lbs.	ainers and use group 3.			
Lot inspection: Sample size (number of sample units).	6	13	21	29

TABLE XIV—DEHYDRATED (LOW-MOISTURE) FRUITS, AND VEGETABLES [Lot sample size]

Container size group	Lot size (number of containers)			
Group 1: Any type of container of 1 lb or less net weight.	7,200 or less	7,201–23,400	23,401–50,400	50,401-87,000
Group 2: Any type of container over 1 lb but not over 6 lb net weight.	2,400 or less	2,401–7,800	7,801–16,800	16,801–29,000

TABLE XIV—DEHYDRATED (LOW-MOISTURE) FRUITS, AND VEGETABLES—Continued [Lot sample size]

Container size group	Lot size (number of containers)			
Group 3: Any type of container over 6 Convert to equivalent number of 5-lb. contailbs.	ainers and use group 2.			
Lot inspection: Sample size (number of sample units).	6	13	21	29

- (c) Determining compliance. (1) An inspection lot meets the requirements of a quality grade if the number of defects (or defectives) is equal to or less than the acceptance numbers of all classes of defects.
- (2) An inspection lot fails the requirements of a quality grade if the number of defects (or defectives) exceeds the acceptance number for one or more classes of defects.
- (d) Lot single sampling plans for processed fruits and vegetables. (1) Tables XV through XIX contain the lot single sampling plans for each of five different standard sample unit sizes. The plans within each table are listed according to increasing values of Acceptable Quality Levels (AQL's).
- (2) AQL values of 10.0 or less may be expressed either in "defects per hundred units" or in "percent defective units." The same sampling plans are used for both. Separate sampling plans must be used for AQL values greater than 10.0.
- (3) A separate lot single sampling plan is chosen for each class of defects (or defectives) by first specifying the desired AQL, the appropriate standard sample unit size, and the number of sample units as specified in $\S52.38c$ (b) of this subpart. The quality levels associated with the Pa=50% and Pa=10% levels are given in the instructional manual.

TABLE XV—LOT SINGLE SAMPLING PLANS [Standard sample unit size=6]

	Number of sample units				
	6	13	21	29	
Acceptance numbers—qualit 100 units or per				ects per	
1.0	1	2	3	4	
2.5	1 2	3	4	3	

TABLE XV—LOT SINGLE SAMPLING PLANS— Continued

[Standard sample unit size=6]

	Number of sample units				
	6	13	21	29	
4.0	4	6	9	11	
5.0	4	7	11	14	
6.5	5	9	13	17	
8.5	6	11	16	21	
10.0	7	12	19	24	

Quality levels expressed	as defe	cts per 10	00 units o	only
12.5	8	15	22	29
15.0	9	17	26	35
20.0	12	22	33	44
25.0	14	27	41	54
33.0	18	34	52	70
40.0	21	40	62	83
50.0	25	49	76	102
65.0	31	62	97	131
85.0	40	80	124	168
100.0	46	92	144	196
150.0	66	135	212	288
250.0	105	218	344	469

Quality levels expresse	ed as per	cent def	ective on	ly
12.5	8	15	22	29
15.0	9	17	25	34
20.0	11	21	33	43
25.0	13	26	39	53
33.0	16	32	50	67
40.0	19	38	59	80
50.0	23	46	72	98

TABLE XVI—LOT SINGLE SAMPLING PLANS [Standard sample unit size=13]

Number of sample units

	Number of sample units			
	6	13	21	29
Acceptance numbers—qualit				ects per
0.65	1	3	4	5
1.0	2	4	6	7
1.5	3	5	8	10
2.5	4	8	11	15
4.0	6	11	16	22
5.0	7	13	20	26
6.5	9	17	25	33
8.5	11	21	31	41
10.0	12	24	36	48

§52.38c

TABLE XVI—LOT SINGLE SAMPLING PLANS— Continued

[Standard sample unit size=13]

•			•	
	Number of sample units			
	6	13	21	29
Quality levels expressed	as defec	cts per 10	00 units o	only
12.5	15	29	44	58
15.0	17	34	51	69
20.0	22	43	67	90
25.0	27	53	82	110
33.0	34	68	106	143
40.0	40	81	126	171
50.0	49	99	156	211
65.0	62	127	199	271
85.0	80	163	257	350
100.0	92	190	300	409
Quality levels expresse	ed as per	cent def	ective on	ly
12.5	15	28	43	58
15.0	17	33	51	68
20.0	21	42	65	88
25.0	26	51	80	108
33.0	32	66	103	139
40.0	38	78	123	166
50.0	46	95	150	204

TABLE XVII—LOT SINGLE SAMPLING PLANS [Standard sample unit size=25]

	Number of sample units			
	6	13	21	29
Acceptance numbers—qualit 100 units or per				ects per
0.4	2	3	5	6
0.65	3	5	7	8
1.0	4	6	9	12
1.5	5	9	13	16
2.5	7	13	19	25
4.0	10	19	29	38
5.0	12	23	35	46
6.5	15	29	44	58
8.5	19	36	56	74
10.0	21	42	64	86
12.5	26	51	79	106
15.0	30	60	93	126
20.0	39	78	122	165
25.0	48	96	150	203
33.0	61	124	195	265
40.0	73	149	234	318
50.0	89	183	289	394
65.0	114	235	372	507
Quality levels expresse	ed as per	cent defe	ective on	ly
12.5	25	50	78	105
15.0	30	59	92	125
20.0	38	77	120	163
25.0	46	94	148	200
33.0	59	121	191	260
	70	145	228	040
40.0	70	145	281	312 385

TABLE XVIII—LOT SINGLE SAMPLING PLANS [Standard sample unit size=50]

			Number of sample units		
6	13	21	29		
			cts per		
1	3	4	5		
		5	7		
3	5	8	10		
4	8	11	15		
6	11	16	21		
8	15	22	29		
12	23	35	46		
18	34	53	70		
21	42	64	86		
27	53	82	110		
34	67	105	142		
39	78	122	165		
as defec	ts per 10	00 units o	nly		
48	96	150	203		
56	114	178	242		
73	149	234	318		
89	183	289	394		
115	239	377	514		
138	287	454	620		
170	355	563	769		
ed as per	cent defe	ective onl	y		
47	95	149	202		
	112	177	240		
			315		
		1	390		
	-		508		
134	281	446	611		
164	346	552	756		
	y levels of cent deference	y levels expresses cent defective—A 1	y levels expressed as deferent defective—AQL 1		

TABLE XIX—LOT SINGLE SAMPLING PLANS [Standard sample unit size=100]

	Number of sample units			
	6	13	21	29
Acceptance numbers—qualit				ects per
0.1	2	3	5	6
0.15	3	4	6	8
0.25	4	6	9	12
0.4	5	9	13	17
0.65	7	13	20	26
1.0	10	19	29	38
1.5	14	27	41	54
2.5	21	42	64	86
4.0	32	64	99	134
5.0	39	78	122	165
6.5	49	99	156	211
8.5	63	128	200	272
10.0	73	149	234	318
12.5	89	183	289	394
15.0	105	218	344	469
20.0	138	287	454	620
25.0	170	355	563	769
33.0	221	463	736	1,008
40.0	266	558	888	1,216
50.0	329	692	1,103	1,513

TABLE XIX—LOT SINGLE SAMPLING PLANS— Continued

[Standard sample unit size=100]

29
29
392
467
615
763
999
,203
1.494

[43 FR 10542, Mar. 14, 1978. Redesignated at 46 FR 63203, Dec. 31, 1981]

§ 52.39 Issuance of certificate of sampling.

Each inspector and each licensed sampler shall prepare and sign a certificate of sampling to cover the samples drawn by the respective person, except that in-plant inspectors who inspect the samples which they have drawn need not prepare a certificate of sampling. One copy of each certificate of sampling prepared shall be retained by the licensed sampler and the original and all other copies thereof shall be disposed of in accordance with the instructions of the Administrator.

[51 FR 20445, June 5, 1986]

§ 52.40 Identification of lots sampled.

Each lot from which officially drawn samples are selected shall be marked in such manner as may be prescribed by the Administrator, if such lots do not otherwise possess suitable identification.

FEES AND CHARGES

§52.41 Payment of fees and charges.

Fees and charges for any inspection service shall be paid by the interested party making the application for such service, in accordance with the applicable provisions of the regulations in this part, and if so required by the inspection service, an advance of funds prior to rendering inspection service in an amount suitable to the Administrator, or a surety bond suitable to the Administrator, shall be required as a guarantee of payment for the services rendered. All fees and charges for any in-

spection service performed pursuant to the regulations in this part shall be paid by check, draft, or money order payable to the United States Department of Agriculture. Remittance shall be sent to the address specified on the bill for collection on or before the due date to avoid a late payment charge.

[51 FR 20445, June 5, 1986]

§ 52.42 Schedule of fees.

Unless otherwise provided in a written agreement between the applicant and the Administrator, the fee for any inspection service performed under the regulations in this part, shall be at the rate of \$62.00 per hour plus one-half the hourly rate per hour for all scheduled overtime hours. When work is performed on a holiday, an additional hour shall be charged at the regular hourly rate for each hour worked. A ten (10) percent night differential charge will be made for all work performed between the hours of 6 p.m. and 6 a.m. A twenty-five (25) percent Sunday differential charge will be made for all work performed on Sunday.

[59 FR 41378, Aug. 12, 1994, as amended at 61 FR 25549, May 22, 1996; 63 FR 50746, Sept. 23, 1998; 65 FR 66487, Nov. 6, 2000; 68 FR 61734, Oct. 30, 2003; 72 FR 10037, Mar. 7, 2007]

§ 52.43 Fees to be charged and collected for sampling when performed by a licensed sampler.

Such sampling fees as are specifically prescribed by the Administrator in connection with licensing of the particular sampler will be assessed and collected from the applicant by the office of inspection serving the area where services are performed: *Provided*, That if the employee is an employee of a state, the appropriate authority of the state may make the collection.

[48 FR 12326, Mar. 24, 1983]

§ 52.44 Inspection fees when charges for sampling have been collected.

For any lot of processed products from which a sample in drawn by a licensed sampler and the applicable sampling fee is collected, as provided in §52.43, the fees for the other inspection services with respect to such lot shall not include charges for sampling.

[48 FR 12326, Mar. 24, 1983]